

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/634,368	08/06/2003	Kenneth Stewart	STEWART	6917
7590 10/03/2006			EXAMINER .	
Evelyn M. Sommer			SHAFFER, RICHARD R	
Suite 825 250 Park Avenue			ART UNIT	PAPER NUMBER
New York, NY	7 10022	3733		
· ·		DATE MAILED: 10/03/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

C	`~	
X	0	_

	Application No.	Applicant(s)				
Office Assistant Communication	10/634,368	STEWART, KENNETH				
Office Action Summary	Examiner	Art Unit				
	Richard R. Shaffer	3733				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE = Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period value = Failure to reply within the set or extended period for reply will, by statute = Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 10 Ju	<i>ıly 2006</i> .					
2a)⊠ This action is FINAL . 2b)□ This	This action is FINAL. 2b) This action is non-final.					
3) Since this application is in condition for allowar)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 2-21 is/are pending in the application. 4a) Of the above claim(s) 2-5 and 13-20 is/are 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 6-12 and 21 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o	withdrawn from consideration.	. · · .				
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the bed drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

Application/Control Number: 10/634,368

Art Unit: 3733

DETAILED ACTION

Oath/Declaration

The new Oath/Declaration filed on July 10th, 2006 is acknowledged and accepted by the examiner. The corresponding objections are hereby withdrawn.

Drawings

The amended drawings filed on July 10th, 2006 are acknowledged and accepted by the examiner. The corresponding objections are hereby withdrawn.

Claim Objections

The amendments to the claims filed on July 10th, 2006 are acknowledged and accepted by the examiner. The corresponding objections are hereby withdrawn.

Claim Rejections - 35 USC § 112

The amendments to the claims filed on July 10th, 2006 are acknowledged and accepted by the examiner. The corresponding rejections are hereby withdrawn.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 6-12 and 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Bohan et al (US Patent 5,279,539).

Bohan discloses (**Figure 7**): a pliable/flexible (**Column 5, Lines 41-45**) hollow cap or casing portion (11); a fastener portion provided at a lower portion of the cap or

Art Unit: 3733

casing; the fastener portion comprising a lower frame/cinch ring (21) which accept sutures (30, 31); the cinch ring (21) can be considered box-like given the broadest reasonable interpretation; Dictionary.com Unabridged Version 1.0.1 defines box as: any enclosing, protective case or housing, sometimes including its contents; the sutures (30, 31) are inherently capable of allowing the device to attach to instrumentation or to adjacent bone areas/tissues by placing the cap/casing portion (11) about instrumentation and then tightening the sutures (31, 35) causing the cap/casing to close circumferentially (horizontally or vertically depending on orientation).

Response to Arguments

Applicant's arguments filed July 10th, 2006 have been fully considered but they are not persuasive.

In response to applicant's argument that Bohan et al is not for bone repair or reconstruction by encapsulating parts of the instrumentation or providing a mechanical barrier for preventing ingrowth of bone, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In the instant case, it is clearly capable of encapsulating instrumentation. It is further capable of preventing ingrowth of bone, at least temporarily.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., capable of permanent implantation, made of GoreTex, Dacron, polyurethane) are

not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard R. Shaffer whose telephone number is 571-272-8683. The examiner can normally be reached on Monday-Friday (7am-5pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/634,368 Page 5

Art Unit: 3733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Richard Shaffer

September 26th, 2006

Bichard Shaffer

EDUARDO O ROBERT

SUPERVISORY PATENT EXAMINER